



中国认可
国际互认
检测
TESTING
CNAS L0167

检测报告

编号: CANPC26002030504

日期: 2026 年 02 月 13 日

第 1 页, 共 3 页

客户名称: 广东鹏森木业有限公司
客户地址: 惠州市惠城区马安镇马安村塘布二巷 13 号

样品名称: 超平实木板
制造商: 鹏森创建
批号: PS0260121

以上样品及信息由客户提供。

SGS 工作编号: SZPC2601000529
收样日期: 2026 年 01 月 22 日
检测周期: 2026 年 01 月 22 日 ~ 2026 年 02 月 13 日
检测要求: 根据客户要求检测
检测方法: 见后续页。
检测结果: 见后续页。

检测要求	结论
GB/T 39600-2021-甲醛释放量	符合

通标标准技术服务有限公司广州分公司
授权签名

谢冬育

Dongyu Xie 谢冬育
批准签署人

扫码查看在线报告



CANPC26002030504
报告验证请访问:
check.sgschina.com.cn



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSI Standards Technical Services Co., Ltd.
Guangzhou Branch / 通标标准技术服务有限公司广州分公司

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgschina.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

检测报告

编号: CANPC26002030504

日期: 2026 年 02 月 13 日

第 2 页, 共 3 页

检测结果:

检测部件外观描述:

样品序号	样品编号	SGS 样品 ID	样品描述
SN1	002	CAN26-0020305-0001.C002	棕色木板

备注:

- (1) 1 mg/kg = 1 ppm = 0.0001%
- (2) MDL = 方法检出限
- (3) ND = 未检出 (< MDL)
- (4) "-" = 未规定

GB/T 39600-2021-甲醛释放量

检测方法: 参考 GB/T 17657-2013 条款 4.60, 采用 UV-Vis 进行分析。

检测项目	限值	单位	MDL	002
甲醛释放量	0.05	mg/m ³	0.015	0.016
结论				符合

备注:

根据 GB/T 39600-2021 的要求, 室内用人造板及其制品甲醛释放量限值为 0.050 mg/m³, 限量标识为 E₀。

检测方法: 参考 GB/T 17657-2013 条款 4.60, 采用 UV-Vis 进行分析。

检测项目	限值	单位	MDL	002
甲醛释放量	0.124	mg/m ³	0.015	0.016
结论				符合

备注:

根据 GB/T 39600-2021 的要求, 室内用人造板及其制品甲醛释放量限值为 0.124 mg/m³, 限量标识为 E₁。

检测方法: 参考 GB/T 17657-2013 条款 4.60, 采用 UV-Vis 进行分析。

检测项目	限值	单位	MDL	002
甲醛释放量	0.025	mg/m ³	0.015	0.016
结论				符合

备注:

根据 GB/T 39600-2021 的要求, 室内用人造板及其制品甲醛释放量限值为 0.025 mg/m³, 限量标识为 E_{NF}。

除非另有说明, 参照 ILAC-G8:09/2019, 使用简单接受 (w=0) 的二元判定规则进行符合性判定。

除非另有说明, 此报告结果仅对检测的样品负责。本报告未经本公司书面许可, 不可部分复制。

SGS-CSI Standards Technical Services Co., Ltd.
Guangzhou Branch / 广州分公司

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Doccheck@sgs.com

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城珠路198号 邮编: 510663t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

检测报告

编号: CANPC26002030504

日期: 2026 年 02 月 13 日

第 3 页, 共 3 页

样品照片:



CAN26-0020305-0001.C002

此照片仅限于随 SGS 正本报告使用

报告结束



SGS-CSI Standards Technical Services Co., Ltd.
Guangzhou Branch Technical Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Member of the SGS Group (SGS SA)